

SQL Developer Accelerator Hotkeys

The following accelerator hotkeys are the default for Oracle SQL Developer v1.2:

SQL Developer	
Context Help	F1 or Shift-F1
Exit	Alt-F4
Files	
New	Ctrl-N
Open	Ctrl-O
Close	Ctrl-F4 or Ctrl-W
Close All	Ctrl-Shift-F4
Save	Ctrl-S
Print	Ctrl-P
Editors	
Undo	Ctrl-Z or Alt-Shift-Backspace
Redo	Ctrl-Y or Alt-Backspace
Cut	Ctrl-X or Shift-Delete
Copy	Ctrl-C or Ctrl-Insert
Copy Path	Ctrl-Shift-C
Paste	Ctrl-V or Shift-Insert
Extended Paste	Ctrl-Shift-V
Delete	Delete
Delete to Next Word Start	Ctrl-Delete or Ctrl-T
Delete to Previous Word Start	Ctrl Backspace
Delete Until to End of Line	Ctrl-Shift-Y
Move to Next Word Start	Ctrl-Right
Move to Previous Word Start	Ctrl-Left
Move to Matching Bracket	Alt-[or Alt-]
Select All	Ctrl-A
Selection to Matching Brace	Alt-Shift-[or Alt-Shift-]
Completion Insight	Ctrl-Space
Smart Completion Insight	Ctrl-Alt-Space
Toggle line comments	Ctrl-Shift-/ or Ctrl-/
Format SQL	Ctrl-B
Search	

Find	Ctrl-F
Find Next	F3
Find Next Word at Cursor	Ctrl-F3
Find Previous	Shift-F3
Find Previous Word at Cursor	Ctrl-Shift-F3
Replace	Ctrl-R
Incremental Find Forward	Ctrl-E
Incremental Find Backward	Ctrl-Shift-E
Navigation	
Back	Alt-Left
Forward	Alt-Right
Toggle Bookmark	Ctrl-K
Go to Bookmarks	Ctrl-Shift-K
Go to Next Bookmarks	Ctrl-Q
Go to Previous Bookmarks	Ctrl-Shift-Q
Go to Line	Ctrl-G
Go to Last Edit	Ctrl-Shift-Backspace
Browse Symbol	Ctrl-Minus
Go to Recent Files	Ctrl-Equals
Go to Next Message	Alt-F8
Go to Last Message	Alt-F7
Assign and activate window	Alt-Shift-1...9 and Alt-1...9
Windows	
Popup menu	Shift-F10
System menu	Alt-minus
File List	Alt-0
SQL Worksheet	
Execute Statement	F9
Run Script	F15
Commit	F11
Rollback	F12
Cancel	Ctrl-Q
SQL History	F8
Execute Explain Plan	F6
Autotrace	F10
Clear	Ctrl-D
PL/SQL Editor	
Toggle Breakpoint	F5
Compile	Ctrl-Shift-F9 - Ctrl-Shift-M

Log	
Log Window	Ctrl-Shift-L
Go to Next Message	Alt-F8
Go to Last Message	Alt-F7
Debugging	
Debug Project	Shift-F9
Breakpoint Window	Ctrl-Shift-R
Toggle Breakpoint	F5
Resume	F9
Step Over	F8
Step Into	F7
Step Out	Shift-F7
Continue Step	Shift-F8
Run to Cursor	F4
Terminate	Ctrl-F2
Watch	Ctrl-F5

All keys can be reassigned via the Tools menu → Preferences → Accelerator options.

The names for the hotkeys above are taken from the Accelerator options. They have not been renamed for clarity, such that they can be easily located in the Accelerator options.

The following hotkeys appear to be broken but may be fixed in a later release:

Convert Leading Spaces to Tabs	Ctrl-Shift-T
Convert Leading Tabs to Spaces	Ctrl-Shift-U
Set Local Tab Size to 2	Ctrl-2
Set Local Tab Size to 4	Ctrl-4
Set Local Tab Size to 8	Ctrl-8
Browse Symbol	Ctrl Minus
Parameter Insight	Ctrl-Shift-Space

Disclaimer: This information has been gathered by Chris Muir for SAGE Computing Services Pty Ltd (<http://www.sagecomputing.com.au>). Obviously this information may have errors, and will change from version to version of SQL Developer, so ensure to check this information for yourself.